
GLUING and MOISTENING



HADE

MANUAL GLUING MACHINE

double feature: gluing or moistening

The STANDARD allows the quick gluing of labels, addresses etc. up to an operating width of 135 mm. Simply run the item which is to be glued over the fabric-finish cylinder. The film of glue, which is constantly replenished as the rollers turn, enables you to obtain in perfect gluing of the whole surface. Built in plastic and stainless steel.



DIN A4 to DIN A2

For bigger widths we recommend the DIN A4 (width 210 mm) and SONDER (width up to 500 mm) models which have the same functional features and are all built in nickel-chromium steel.

Standard - A6 - 135 mm
Spezial - A6 - 135 mm
DIN A4 - A5-4 - 210 mm

models for bigger sizes:
SONDER 280 mm
SONDER 360 mm
SONDER 500 mm



ELECTRIC GLUING MACHINES

COLLMATIC

The label which is to be glued is inserted under the shaft positioned in front of the gluing cylinder. As it turns continuously, this cylinder draws and glues the label at the same time. The label is delivered to the operator ready for application. A special device for the micrometric regulation of the glue also ensures maximum label cleanliness and perfect gluing of the label. The machine is built in stainless steel and brass, while the glue tray is made from non-corrosive ABS; all the parts in contact with the glue slot together and are easily disassembled without tools making cleaning operations simpler and quicker.

Dimensions:

25x23x20cm (COLLMATIC 180), 6,5 KG

27x30x19cm (COLLMATIC 230), 8,0 KG



GLUEMATIC

By means of a rubber-covered roller, the machine automatically takes one label at a time from the counterpoise-mounted label holder, and runs it over the gluing roller. The operator receives the label ready-glued for application. The switch-pedal can start or stop the label gluing cycle as necessary. The speed at which labels are delivered depends on the label format, but by varying the gear ratios, 800 - 1000 labels can be emitted per hour. The machine is built in stainless steel and brass. All the parts in contact with the glue slot together and are easily disassembled without tools, making it simpler and quicker to clean the machine at the end of processing.

Dimensions:

27x30x30cm (GLUEMATIC 180), 13,5 KG

27x30x45cm (GLUEMATIC 230), 14,5 KG

SEMI-AUTOMATIC LABELLING MACHINE

BTL 210

BTL 210 is a semi-automatic machine for gluing and applying labels to bottles, tubs and cylindrical containers in glass, tin plate and plastic. No heating is necessary. The BTL 210 is particularly suitable for use with small series and special batches in the wine, chemical and preserved food sectors. With the container placed horizontally on two rollers, the pedal-switch is pressed to activate the labelling cycle which is carried out automatically (even in the case of wrap-around labels). The cleaning and adjustment operations are extremely simple: the gluing roller and the glue film regulating device are located in a removable case.

Labels are easily loaded on to a sloping surface equipped with guides. Here, they are picked up one by one by a selector (adjustable to suit paper thickness) in order to be glued and applied. Adjustments for different paper sizes take only a matter of seconds. The BTL can be used to label containers whose diameters range from 45 - 170 mm using labels with an operating width (corresponding to the height of the labelled container) of up to 210 mm



DRY-GLUE CONCENTRATE

Mixed with water, mixture:

HTK 40S - 4:1

Available sizes:

1 KG paper-bag in a box

10 KG paper-bag in a box

25 KG paper-bag in a box

